

Mouse anti-Keratin 18, clone DC-10 (Monoclonal)

Clone no. DC-10

MONOSAN

Product name	Mouse anti-Keratin 18, clone DC-10 (Monoclonal)
Host	Mouse
Applications	IP, WB, IHC-P, ICC, ELISA, FC
Species reactivity	Human
Conjugate	-
Immunogen	Human breast carcinoma cell line PMC-42.
Isotype	IgG1
Clonality	Monoclonal
Clone number	DC-10
Size	0.1 mg
Concentration	1 mg/ml
Format	-
Storage buffer	Phosphate buffered saline (PBS) solution with 15 mM sodium azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-Keratin 18, clone DC-10 (Monoclonal)

Clone no. DC-10

MONOSAN

Additional info

Cytokeratins are a subfamily of intermediate filaments and are characterized by remarkable biochemical diversity. They are represented in epithelial tissues by at least 20 different polypeptides, molecular weight between 40 kDa and 68 kDa. The individual cytokeratin polypeptides are designated 1 to 20 and divided into the type I (acidic cytokeratins 9-20) and type II (basic to neutral cytokeratins 1-8) families. Cytokeratin 18 belongs to type I family (acidic cytokeratins).

References

1. -
2. -
3. -
4. -
5. -

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES