

Mouse anti-IgA Secretory Component, clone SC-05 (Monoclonal)

Clone no. SC-05

MONOSAN

Product name	Mouse anti-IgA Secretory Component, clone SC-05 (Monoclonal)
Host	Mouse
Applications	ELISA, FC, IHC-fr, IHC-P, IP, WB
Species reactivity	human, rat
Conjugate	-
Immunogen	affinity purified human secretory component
Isotype	IgG1-K
Clonality	Monoclonal
Clone number	SC-05
Size	100 ug
Concentration	100 ug/ml
Format	-
Storage buffer	PBS with 0.02% sodium azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-IgA Secretory Component, clone SC-05 (Monoclonal)

Clone no. SC-05

MONOSAN

Additional info

SC-05 reacts with a reduction resistant epitope on 80 kDa human secretory component (both free and bound to SIgA). Secretory component is differentially expressed in epithelium, thus SC-05 can identify subpopulations of epithelial cells and epithelial differentiation. Secretory component negative cell lines are not stained with SC-05.

References

1. Kvale, D. et al, Int J Cancer 42(4): 638-641 (1988)
2. Bartek, J. et al, Histochem 91(3): 235-244 (1989)
3. Bartek, J. et al, Histochem J 22(10): 537-534 (1990)
4. -
5. -

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES